

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	1	("6965139").PN.	USPAT; USOCR	OR	OFF	2007/04/25 20:28
L8	5380	(257/774.ccls. or 438/629,637,639, 672,675.ccls.) and ((depression or depress or etch\$3 or groove or cavity or via or trench or channel or aperture) with (pad or contact or electrode or terminal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 20:51
L9	2257	(257/774.ccls. or 438/629,637,639, 672,675.ccls.) and ((depression or depress or etch\$3 or groove or cavity or via or trench or channel or aperture) near (pad or contact or electrode or terminal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 20:51
L10	1826	L9 and (@ad<"20031013")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 20:51
L11	979	(@ad<"20031013") and 257/211, 758-776,786.ccls. and (spiral or coil or inductor or inductance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 20:51
L12	856	(@ad<"20031013") and 438/98,453, 523,622-688.ccls. and (spiral or coil or inductor or inductance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 20:51
L13	249	(@ad<"20031013") and 438/171,190, 210,238,329,381.ccls. and (spiral or coil or inductor or inductance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 20:51

## EAST Search History

L14	662	(@ad<"20031013") and 257/277,531, 904,924.ccls. and (spiral or coil or inductor or inductance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 20:51
L15	2498	L11 or L12 or L13 or L14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 20:51
L16	1312	L15 and ((depression or depress or etch\$3 or groove or cavity or via or trench or channel or aperture) with (pad or contact or electrode or terminal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 20:51
L17	1719	L10 not L16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 20:51
S1	979	(@ad<"20031013") and 257/211, 758-776,786.ccls. and (spiral or coil or inductor or inductance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 10:16
S2	18	S1 and (etch\$3 near (pad or contact or electrode or terminal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 10:19
S3	856	(@ad<"20031013") and 438/98,453, 523,622-688.ccls. and (spiral or coil or inductor or inductance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 10:17

## EAST Search History

S4	249	(@ad<"20031013") and 438/171,190, 210,238,329,381.ccls. and (spiral or coil or inductor or inductance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 10:18
S5	662	(@ad<"20031013") and 257/277,531, 904,924.ccls. and (spiral or coil or inductor or inductance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 20:51
S6	2498	S1 or S3 or S4 or S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 10:18
S7	2196	S6 and (pad or contact or electrode or terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 10:19
S8	1312	S6 and ((depression or depress or etch\$3 or groove or cavity or via or trench or channel or aperture) with (pad or contact or electrode or terminal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 20:50
S9	2	("2003/0127704").URPN.	USPAT	OR	OFF	2007/04/25 10:35
S10	1	("2003/0071326").URPN.	USPAT	OR	OFF	2007/04/25 13:02
S11	1	("6593222").PN.	USPAT; USOCR	OR	OFF	2007/04/25 13:59
S12	1	("6372622").PN.	USPAT; USOCR	OR	OFF	2007/04/25 20:27